

Current-Limiting Power Fuses

Fuse Supports and Disconnecting Switches

9F61 Series

EK-1, EKO-1, EK-3, EKO-3

Product Description

Fuse supports, non-disconnecting, are used primarily in potential transformer circuits, or where there is some other disconnecting or isolating device in series with the fuse in the circuit. Fuse supports can be mounted vertically or horizontally. The EKO-1 models are designed to be installed outdoors. Disconnecting switch devices have the additional feature of serving to isolate the equipment they protect. It should be noted that disconnecting switches are not load-breaking devices, therefore, the circuit must be open prior to the fuse disconnection. The EKO-3 models are designed to be installed outdoors.



Fuse Support - EK-1 Indoor

Max. kV	Ferrule Size/ Diam.	Clip Centers	Spare Parts (Live Parts)	Spare Parts (Clips)	Insulaor Rating - Class/NEMA Nominal Sys. (kV)	Insulator Rating - BIL (kV)	Insulator Rating - Class/NEMA Tech Ref.	Product Number	List Price Prod. ID MVACC
2.75/5.5	B/1.56"	8.12"	9F61BNW450	9F61BWW460	4.8	60	A-20	9F61ABB101	\$375.00
8.25	B/1.56"	8.12"	9F61BNW450	9F61BWW460	13.8	95	A-20	9F61ABG101	\$475.00
15.5	B/1.56"	11.5"	9F61BNW450	9F61BWW460	13.8	95	A-20	9F61ADG101	\$485.00
15.5	B/1.56"	11.5"	9F61BNW450	9F61BWW460	14.4	110	A-20	9F61ADJ101	\$775.00
2.75	C/2.00"	7"	9F61BNW451	9F61BWW457	4.8	60	A-20	9F61AAB201	\$455.00
5.5	C/2.00"	9"	9F61BNW451	9F61BWW457	4.8	60	A-20	9F61ACB201	\$455.00
15.5	C/2.00"	12"	9F61BNW451	9F61BWW457	13.8	95	A-20	9F61AEG201	\$535.00
15.5	C/2.00"	15"	9F61BNW451	9F61BWW457	13.8	95	A-20	9F61AGG201	\$535.00
15.5	C/2.00"	15"	9F61BNW451	9F61BWW457	14.4	110	A-20	9F61AGJ201	\$1085.00
25.8	C/2.00"	21"	9F61BNW743	9F61BWW457	23	150	A-20	9F61AHM201	\$1265.00
2.75	D/3.00"	7"	9F61BNW750	9F61BWW459	4.8	60	A-20	9F61AAB301	\$545.00
2.75/5.5	D/3.00"	12"	9F61BNW750	9F61BWW459	4.8	60	A-20	9F61AEB301	\$555.00
8.25	D/3.00"	12"	9F61BNW750	9F61BWW459	13.8	95	A-20	9F61AEG301	\$715.00
15.5	D/3.00"	15"	9F61BNW750	9F61BWW459	13.8	95	A-20	9F61AGG301	\$715.00
15.5	D/3.00"	15"	9F61BNW750	9F61BWW459	14.4	110	A-20	9F61AGJ301	\$1055.00
25.8	D/3.00"	21"	9F61BNW744	9F61BWW459	23	150	A-20	9F61AHM301	\$1475.00
2.75	DD/3.00"	7"	9F61BNW751	-	4.8	60	A-20	9F61AAB401	\$665.00
2.75/5.5	DD/3.00"	12"	9F61BNW751	-	4.8	60	A-20	9F61AEB401	\$695.00
8.25	DD/3.00"	12"	9F61BNW751	-	13.8	95	A-20	9F61AEG401	\$845.00
15.5	DD/3.00"	15"	9F61BNW751	-	13.8	95	A-20	9F61AGG401	\$845.00
15.5	DD/3.00"	15"	9F61BNW751	-	14.4	110	A-20	9F61AGJ401	\$1355.00
25.8	DD/3.00"	21"	9F61Aww738	-	23	150	A-20	9F61AHM401	\$1695.00
5.08	EE/4.00"	14.12"	9F61BNW452	-	4.8	60	A-20	9F61AFB501	\$975.00
15	EE/4.00"	14.12"	9F61BNW452	-	13.8	95	A-20	9F61AFG501	\$1105.00
15	EE/4.00"	14.12"	9F61BNW452	-	14.4	110	A-20	9F61AFJ501	\$1205.00
	DDDD			For Bolted-end Fuses refer to drawings.				9F61AHG001	\$1050.00
	DDDD			For Bolted-end Fuses refer to drawings.				9F61AHJ001	\$1400.00
	DDDD			For Bolted-end Fuses refer to drawings.				9F61AKB001	\$1043.00

Refer to drawings for specific dimensions.

Agent of China
Majestic Global Limited
Unit 1207-8 Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong
Tel: +852 23078933 Fax: +852 23078950
Web: www.mgl.com.hk Email: info@mgl.hk

Current-Limiting Power Fuses

Fuse Supports and Disconnecting Switches

9F61 Series

EK-1, EKO-1, EK-3, EKO-3

Disconnect Switch - EK-3 Indoor

Max. kV	Ferrule Size/ Diam.	Clip Centers	Spare Parts (Live Parts)	Spare Parts (Clips)	Insulator Rating - Nominal Sys. (kV)	Insulator Rating - BIL (kV)	Insulator Rating - Class/NEMA Tech Ref.	Product Number	List Price Prod. ID MVACC
2.75	C/2.00"	7"	9F61BNW731	9F61BWW457	4.8	60	A-20	9F61AAB205	\$635.00
5.5	C/2.00"	9"	9F61BNW731	9F61BWW457	4.8	60	A-20	9F61ACB205	\$635.00
15.5	C/2.00"	12"	9F61BNW731	9F61BWW457	13.8	95	A-20	9F61AEG205	\$745.00
15.5	C/2.00"	15"	9F61BNW731	9F61BWW457	13.8	95	A-20	9F61AGG205	\$745.00
15.5	C/2.00"	15"	9F61BNW731	9F61BWW457	14.4	110	A-20	9F61AGJ205	\$1125.00
25.8	C/2.00"	21"	9F61BNW746	9F61BWW457	23	150	A-20	9F61AHM205	\$1565.00
2.75	D/3.00"	7"	9F61BNW732	9F61BWW459	4.8	60	A-20	9F61AAB305	\$765.00
2.75/5.5	D/3.00"	12"	9F61BNW732	9F61BWW459	4.8	60	A-20	9F61AEB305	\$765.00
8.25	D/3.00"	12"	9F61BNW732	9F61BWW459	13.8	95	A-20	9F61AEG305	\$895.00
15.5	D/3.00"	15"	9F61BNW732	9F61BWW459	13.8	95	A-20	9F61AGG305	\$895.00
15.5	D/3.00"	15"	9F61BNW732	9F61BWW459	14.4	110	A-20	9F61AGJ305	\$1135.00
25.8	D/3.00"	21"	9F61BNW747	9F61BWW459	23	150	A-20	9F61AHM305	\$1775.00
2.75	DD/3.00"	7"	9F61BNW461	-	4.8	60	A-20	9F61AAB405	\$1215.00
2.75/5.5	DD/3.00"	12"	9F61BNW461	-	4.8	60	A-20	9F61AEB405	\$1215.00
8.25	DD/3.00"	12"	9F61BNW461	-	13.8	95	A-20	9F61AEG405	\$1315.00
15.5	DD/3.00"	15"	9F61BNW461	-	13.8	95	A-20	9F61AGG405	\$1095.00
15.5	DD/3.00"	15"	9F61BNW461	-	14.4	110	A-20	9F61AGJ405	\$1615.00
25.8	DD/3.00"	21"	9F61BNW748	-	23	150	A-20	9F61AHM405	\$1905.00

Refer to drawings for specific dimensions.

Fuse Support - EKO-1 Outdoor

Max. kV	Ferrule Size/Diam.	Clip Centers	Spare Parts (Live Parts)	Spare Parts (Clips)	Insulator Rating - Nominal Sys. (kV)	Insulator Rating - BIL (kV)	Insulator Rating - Class/NEMA Tech Ref.	Product Number	List Price Prod. ID MVACC
2.75/5.5/8.25	C/2.00"	12"	9F61BNW743	9F61BWW457	7.5	95	202	9F61CEF209	\$845.00
15.5	C/2.00"	15"	9F61BNW743	9F61BWW457	15	110	205	9F61CGL209	\$1025.00
25.8	C/2.00"	21"	9F61BNW743	9F61BWW457	23	150	208	9F61CHM209	\$1136.00
2.75/5.5/8.25	D/3.00"	12"	9F61BNW744	9F61BWW459	7.5	95	202	9F61CEF309	\$875.00
15.5	D/3.00"	15"	9F61BNW744	9F61BWW459	15	110	205	9F61CGL309	\$975.00
25.8	D/3.00"	21"	9F61BNW744	9F61BWW459	23	150	208	9F61CHM309	\$1115.00
38	D/3.00"	27"	9F61BNW744	9F61BWW459	34.5	200	210	9F61CJN309	\$1595.00
2.75/5.5/8.25	DD/3.00"	12"	9F61AWW738	-	7.5	95	202	9F61CEF409	\$1115.00
15.5	DD/3.00"	15"	9F61AWW738	-	15	110	205	9F61CGL409	\$1245.00
25.8	DD/3.00"	21"	9F61AWW738	-	23	150	208	9F61CHM409	\$1665.00
38	DD/3.00"	27"	9F61AWW738	-	34.5	200	210	9F61CJN409	\$2185.00
	DDDD	-	-	-	-	-	-	9F61CHL009	\$1370.00
	DDDD	-	-	-	-	-	-	9F61CKF009	\$1373.00

Refer to drawings for specific dimensions.

Agent of China
Majestic Global Limited
Unit 1207-8 Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong
Tel: +852 23078933 Fax: +852 23078950
Web: www.mgl.com.hk Email: info@mgl.hk

Current-Limiting Power Fuses

Fuse Supports and Disconnecting Switches

9F61 Series

EK-1, EKO-1, EK-3, EKO-3

Disconnect Switch - EKO-3 Outdoor

Max. kV	Ferrule Size/Diam.	Clip Centers	Spare Parts (Live Parts)	Spare Parts (Clips)	Insulator Rating - Nominal Sys. (kV)	Insulator Rating - BIL (kV)	Insulator Rating - Class/NEMA Tech Ref.	Product Number	List Price Prod. ID MVACC
2.75/5.5/8.25	C/2.00"	12"	9F61BNW746	9F61BWW457	7.5	95	202	9F61CEF210	\$1215.00
15.5	C/2.00"	15"	9F61BNW746	9F61BWW457	15	110	205	9F61CGL210	\$1475.00
25.8	C/2.00"	21"	9F61BNW746	9F61BWW457	23	150	208	9F61CHM210	\$1525.00
2.75/5.5/8.25	D/3.00"	12"	9F61BNW747	9F61BWW459	7.5	95	202	9F61CEF310	\$1195.00
15.5	D/3.00"	15"	9F61BNW747	9F61BWW459	15	110	205	9F61CGL310	\$1355.00
25.8	D/3.00"	21"	9F61BNW747	9F61BWW459	23	150	208	9F61CHM310	\$1435.00
38	D/3.00"	27"	9F61BNW747	9F61BWW459	34.5	200	210	9F61CJN310	\$1875.00
2.75/5.5/8.25	DD/3.00"	12"	9F61BNW748	-	7.5	95	202	9F61CEF410	\$1525.00
15.5	DD/3.00"	15"	9F61BNW748	-	15	110	205	9F61CGL410	\$1615.00
25.8	DD/3.00"	21"	9F61BNW748	-	23	150	208	9F61CHM410	\$1665.00
38	DD/3.00"	27"	9F61BNW748	-	34.5	200	210	9F61CJN410	\$2345.00

Refer to drawings for specific dimensions.

IMPORTANT: When selecting a mounting for a current-limiting fuse, it is necessary that the clip centers and size agree with the fuse selected.

Prices of fuse supports and disconnecting switches include live parts for both ends.

Hinge Trunions and Operating Eyes for Use on Disconnecting Switches

Fuse Size	Hinge Trunion Model No.	Operating Eye Model No.
C	9F61BJW397	9F61BFW394
D	9F61BKW398	9F61AWW612
DD	9F61BLW399	9F61AWW612

Conversion Kit - D to DD for Use on Fuse Supports

Model No.	Used on Live Parts
9F61BNW402	9F61BNW751 (indoor)
	9F61AWW738 (outdoor)

Agent of China
 Majestic Global Limited
 Unit 1207-8 Grandtech Centre, 8 On Ping Street, Shatin, Hong Kong
 Tel: +852 23078933 Fax: +852 23078950
 Web: www.mgl.com.hk Email: info@mgl.hk